



giftSET

1:72 Westland Gazelle

A68231 SCALE MODEL CONSTRUCTION KIT | Length: 135mm, Width: 130mm

EN

The Gazelle helicopter was developed in the 1960s as a lightweight observation helicopter for the French Army. It could seat 5 people and was powered by a single 590 s.h.p Turbomeca Astazou gas turbine engine. The type set several world speed records and was well-regarded for its stable handling and reliability. Entering service in 1971, many Gazelles are still flying around the world.

Specification

Speed: 160mph (257 km/h)

Range: 416 miles (670 km)

Length: 39 ft 2 in (11.94m)

Main rotor diameter: 34 ft 6 in (10.50m)

Service ceiling: 18,050 ft (5,500m)

DE

Der Gazelle-Hubschrauber wurde in den 1960er Jahren als leichter Beobachtungshubschrauber für die französische Armee entwickelt. Er konnte fünf Personen befördern und wurde von einem einzelnen 590 WPS Turbomeca-Astazou-Gasturbinentriebwerk angetrieben. Der Typ stellte mehrere Geschwindigkeitsweltrekorde auf und war für sein stabiles Handling und seine Zuverlässigkeit bekannt. Seit der Indienststellung 1971 fliegen viele Gazelles noch immer weltweit.

Spezifikation

Geschwindigkeit: 257 km/h

Reichweite: 670 km

Länge: 11.94m

Hauptrotor-Durchmesser: 10,50m

Gipfelhöhe: 5.500m


WARNING

Not suitable for children under 8 years. For use under adult supervision. Read the instructions before use, follow them and keep them for reference.


ACHTUNG

Nicht geeignet für Kinder unter ... Jahren 8. Benutzung unter Aufsicht von Erwachsenen. Lies die Anweisungen vor Gebrauch, befolge sie und halte sie nachschlagebereit.

6



5



**HORNBY
HOBBIES**

Manufactured by: Hornby Hobbies Ltd Westwood, Margate, Kent, CT9 4JX, UK +44(0)1843 233525 customerservices.uk@hornby.com

EU Authorised Representative: Hornby Italia SRL Viale dei Caduti, 52/A6, Castel Mella (BS), Italy, 25030 +39 0687501292 customerservices.it@hornby.com

UK
CA CE

Assembly Instructions

EN For best results surfaces to be painted should be clean before parts are removed from the sprue, wash in warm, soapy water, rinse and dry thoroughly. Stir paints thoroughly before use. Additional paints may sometimes be required to complete models to a higher specification. Some parts in the kit may not be required to build the model specified. Study drawings and practice assembly before cementing parts together. Carefully scrape plating and paint from cementing surfaces. All parts are numbered. Paint small parts before assembly. To apply decals cut sheet as required, dip in warm water for a few seconds, slide off backing into position shown. Use in conjunction with box artwork. Not appropriate for children under 36 months of age, due to the presence of small detachable parts, the chemical and/or product together with the container with you. In case of injury always seek medical advice.

EN Contents: WARNING. Poly Cement contains n-butyl acetate. Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness. Avoid breathing vapours. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. Dispose of contents/container in accordance with local regulations. Read label before use. Record the telephone number of your local hospital (or poison centre) in the box below. In case of doubt seek medical advice without delay. Take the chemical and/or product together with the container with you. In case of injury always seek medical advice.

UFI: 4TPV-R0YS-100S-86E8



EN Advice for supervising adults. This chemical toy is not suitable for children under 8 years. For use under adult supervision. Keep this chemical toy set out of reach of children under 8 years old. Read and follow these instructions, the safety rules and the first aid information, and keep them for reference. Because children's abilities vary so much, even within age groups, supervising adults should exercise discretion as to which activities are suitable and safe for them. The supervising adult should discuss the warnings, safety information and the possible hazards with the child or children before commencing the activities. Particular attention should be paid to the safe handling of alkalis, acids and flammable liquids. The working area should be cleaned immediately after carrying out the activity.

EN Safety Rules. Keep younger children under the specified age limit and animals away from the activity area. Store chemical toys out of reach of young children. Wash hands after carrying out activities. Do not eat, drink or smoke in the activity area. Do not allow material to come into contact with the eyes. Do not place material in the mouth.

Anleitung für den Zusammenbau

DE Zur optimalen Lackierung der Oberflächen sollen die anzustreichenden Flächen sauber sein. Den Rahmen vor dem Trennen der Bauteile in warmem Seifenwasser waschen, abspülen und trocknen. Die Farben vor dem Gebrauch stets sorgfältig aufrühren. Zur Erzielung höchster Detailtreue können manchmal zusätzliche Farben erforderlich sein. Der Bausatz kann eventuell zusätzliche Teile enthalten, die nicht zum Zusammenstellen des betreffenden Modells benötigt werden. Vor dem Zusammenkleben der Teile die Zeichnungen sorgfältig ansehen und die zu verklebenden Teile zur Vermeidung möglicher Fehler versuchsweise zusammenfügen. Dann an den Klebeflächen vorhandene Farbbeschichtung vor dem Zusammenkleben vorsichtig abkratzen. Alle Bestandteile sind mit Nummern versehen. Kleine Teile vor dem Zusammenbau betrieilen. Abziehbilder wie gewünscht ausschneiden. Vor dem Anbringen einige Sekunden in warmes Wasser tauchen und dann vom Trägerpapier in ihre vorgesehene Position schieben. Dabei die Abbildungen auf der Schachtel beachten. Nicht für Kinder unter 36 Monaten geeignet, da abnehmbare bzw. lose angebrachte Kleinteile enthalten sind.

DE Inhalt: ACHTUNG. Poly Cement enthält n-Butylacetat. Wiederholter Kontakt kann zu spröder oder rissiger Haut führen. Kann Schläfrigkeit und Benommenheit verursachen. Einatmen von Dampf. Nur im Freien oder in gut belüfteten Räumen verwenden. BEI EINATMEN: Die Person an die frische Luft bringen und für ungehinderte Atmung sorgen. Bei Unwohlsein GIFTINFORMATIONSZENTRUM/Arzt anrufen. Inhalt/Behälter in Übereinstimmung mit den örtlichen Vorschriften zuführen. Vor Gebrauch Kennzeichnungsetikett lesen. Tragen Sie bitte die Telefonnummer Ihres örtlichen Krankenhauses (oder Ihrer Giftnotrufzentrale) im nachstehenden Feld ein. Im Zweifelsfall suche ohne Verzug ärztliche Hilfe. Nimm die Chemikalie zusammen mit dem Behälter mit. Bei Verletzungen suche immer ärztliche Hilfe.

☎

DE Hinweis für beaufsichtigende Erwachsene: Dieses chemische Spielzeug ist für Kinder unter 8 Jahren nicht geeignet. Benutzung unter Aufsicht von Erwachsenen. Das chemische Spielzeugset ist außer Reichweite von Kindern unter 8 Jahren aufzubewahren. Diese Anweisungen, die Sicherheitsregeln und die Erste-Hilfe-Informationen lesen, befolgen und nachschlagebereit halten. Weil die Fähigkeit von Kindern auch innerhalb einer Altersgruppe sehr unterschiedlich sein kann, sollten die überwachenden Erwachsenen mit Sorgfalt diejenigen Versuche auswählen, die geeignet und sicher für sie sind. Der überwachende Erwachsene sollte die Warnhinweise, Sicherheitsregeln und die möglichen Gefahren mit dem Kind oder den Kindern vor Versuchsbeginn besprechen. Besondere Aufmerksamkeit sollte dem sicheren Umgang mit Säuren, Laugen und brennbaren Flüssigkeiten gewidmet werden. Der Arbeitsbereich sollte unmittelbar nach Ausführung des Versuchs gereinigt werden.

DE Sicherheitsbestimmungen. Kinder, die jünger sind als auf dem Spielzeug angegeben, und Tiere vom Experimentierplatz fern halten. Chemisches Spielzeug außer Reichweite von kleinen Kindern aufbewahren. Die Hände nach Beendigung der Versuche waschen. Am Experimentierplatz nicht essen, trinken oder rauchen. Material nicht mit den Augen in Berührung bringen. Material nicht in den Mund bringen.

ASSEMBLY ICON INSTRUCTIONS

1 Assembly phase Montagephase	A1 Cement Kleben	Do not cement together Nicht kleben	Symmetrical assembly Symmetrischer Aufbau	? Alternative part(s) provided Ersatzteil(e) mitgeliefert	x2 Repeat this operation Vorgang wiederholen
1 Decals Abziehbild	A1 Crystal part Kristallteil	Weight Beschweren	Remove by filing Abfeilen	Drill or pierce Durchbohren	Cut Schneiden
				Paint number Farbnummer	

2

3

4




A68231

WESTLAND GAZELLE

The Gazelle helicopter was developed in the 1960s as a lightweight observation helicopter for the French Army. It could seat 5 people and was powered by a single Turbomeca Astazou gas turbine engine. The type set several world speed records and was well-regarded for its stable handling and reliability. Entering service in 1971, many Gazelles are still flying around the world.

Additional points may be required to complete model to a higher specification.



SET INCLUDES 4 x ACRYLIC PAINTS, 1 x BRUSH AND 1 x POLY CEMENT



SKILL LEVEL

www.Airfix.com

/skill-level

1/72ND SCALE MODEL

WESTLAND GAZELLE

CONSTRUCTION KIT

A68231



8+

INCLUDING PAINTS, BRUSH,
AND POLY CEMENT



WESTLAND GAZELLE

A68231



1/72ND SCALE MODEL1/72ND SCALE MODEL

WESTLAND GAZELLE



A68231

ONE OF THE AIRFIX SERIES OF SCALE MODELS OF FAMOUS TYPES OF AIRCRAFT



PAINTING INSTRUCTIONS SA.341 GAZELLE

Cartograf and the
Cartograf logo are
registered trademarks

www.cartograf.com

Length 135mm, Wingspan 130mm, Pieces 40



www.airfix.com

**HORNBY
HOBBIES**

Official Product

Manufactured by:
Hornby Hobbies Ltd, Westwood, Margate, Kent,
CT19 4JX, UK +44(0)1843 233525
customerservices.uk@hornby.com

EU Authorised Representative:
Hornby Italia SRL, Viale dei Caduti, 52/A6,
Castel Mella (BS), Italy, 25030
+39 0687501292
customerservices.it@hornby.com

Hornby Hobbies Ltd.
Model Design and Tooling © 1973.
Decal Scheme © 2026. Pack Design © 2026.
All rights reserved. Made in India and UK.
Contents may vary from those illustrated.

The Westland Gazelle is a product of Leonardo
MW Ltd and all rights in it, including its name,
are hereby reserved. The models have been
produced with the permission and assistance
of Leonardo MW Ltd.



A68231 Westland Gazelle

0/468231 01/26

ACHTUNG. Nicht geeignet für Kinder unter 8 Jahren. Benutzungsanleitung lesen. Poly Cement enthält Erweichungs- und Nachschmelzmittel. Benutzen Sie das Modell nur, wenn Sie die Anweisungen lesen und nachschmelzmittelhaltigen Materialien (wie Poly Cement) mit Vorsicht umgehen. Bei Verwendung von Poly Cement kann es zu Hautreizungen kommen. Bei Unwohlsein im Gesichtsbereich (Rötten, Juckreiz, Schwellung) oder bei anderen Symptomen sofort einen Arzt konsultieren. Bei Unwohlsein im Gesichtsbereich (Rötten, Juckreiz, Schwellung) oder bei anderen Symptomen sofort einen Arzt konsultieren. Bei Unwohlsein im Gesichtsbereich (Rötten, Juckreiz, Schwellung) oder bei anderen Symptomen sofort einen Arzt konsultieren.

WARNING. Not suitable for children under 8 years. For use under adult supervision. Read the instructions before use, follow them and keep them for reference. Poly Cement contains n-butyl acetate. Reported exposure may cause skin dryness or cracking. May cause drowsiness or dizziness. Avoid breathing vapours. Use only outdoors or in a well-ventilated area. If INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. Dispose of contents/container in accordance with local regulations. Read label before use.

