



SPEKTRUM®

S1500 DC Smart Charger (1 × 500W)

SMART TM
TECHNOLOGY

**Instruction Manual
Bedienungsanleitung
Manuel d'utilisation
Manuale di Istruzioni**



NOTICE

All instructions, warranties and other collateral documents are subject to change at the sole discretion of Horizon Hobby, LLC. For up-to-date product literature, visit horizonhobby.com or towerhobbies.com and click on the support or resources tab for this product.

Meaning of Special Language

The following terms are used throughout the product literature to indicate various levels of potential harm when operating this product:

WARNING: Procedures, which if not properly followed, create the probability of property damage, collateral damage, and serious injury OR create a high probability of superficial injury.

CAUTION: Procedures, which if not properly followed, create the probability of physical property damage AND a possibility of serious injury.

NOTICE: Procedures, which if not properly followed, create a possibility of physical property damage AND little or no possibility of injury.

Age Recommendation: Not for children under 14 years. This is not a toy.



WARNING: Read the ENTIRE instruction manual to become familiar with the features of the product before operating. Failure to operate the product correctly can result in damage to the product, personal property and cause serious injury.

This is a sophisticated hobby product. It must be operated with caution and common sense and requires some basic mechanical ability. Failure to operate this product in a safe and responsible manner could result in injury or damage to the product or other property. This product is not intended for use by children without direct adult supervision. Do not attempt disassembly, use with incompatible components or alter product in any way without the approval of Horizon Hobby, LLC. This manual contains instructions for safety, operation and maintenance. It is essential to read and follow all the instructions and warnings in the manual, prior to assembly, setup or use, in order to operate correctly and avoid damage or serious injury.

WARRANTY REGISTRATION

Visit <https://www.spektrumrc.com/MyAccount/Register.aspx> today to register your product.

Table of Contents

| | |
|--|----|
| S1500 Warnings and Safety Tips | 5 |
| Specifications | 6 |
| Layout..... | 7 |
| General Charging Warnings | 8 |
| Navigating the Charger..... | 10 |
| Operating the Charger..... | 11 |
| Charge Screen..... | 14 |
| System Settings Menu..... | 15 |
| Charger Errors | 16 |
| Optional Parts..... | 17 |
| Limited Warranty..... | 17 |
| Warranty and Service Contact Information | 21 |
| Compliance Information for the European Union..... | 22 |

S1500 Warnings and Safety Tips



WARNING: Failure to exercise caution while using this product and comply with the following warnings could result in product malfunction, electrical issues, excessive heat, FIRE, and ultimately injury and property damage.

- Keep the charger away from dust, humidity, rain and high temperature. Avoid direct exposure to the sun and intense vibration.
- Only use the charger on heat-resistant, non-flammable surfaces. Do not use the charger on car seats, carpet or near other flammable objects.
- Do not block the heat vent on the bottom of the charger to ensure proper cooling during use.
- Always read and understand battery specifications prior to charging. Charging parameters may differ for each battery. Incorrect charging parameters may result in damage to the charger or battery, which could result in a fire.
- When charging or discharging is completed press the menu button to terminate current task and remove the battery when the charger shows the standby screen.


Specifications

| | |
|---|-----------------------------|
| Input/Output Port Connector | IC3™ (EC3™ compatible) |
| Input Voltage (required power supply) | DC 8-30V |
| Output Voltage | 0–26.1V |
| Charge Current | 0.1–20.0A |
| Discharge Current | 0.1–1.5A |
| Max. Charge Power | 500W |
| Max. Discharge Power | 5W |
| Balance Current | 1.5A/cell |
| Balance Cells | 1–6S |
| Supported Battery Types (cell count) | LiFe/Lilon/LiPo/LiHv (1–6S) |
| | NiMH/Cd (1–16S) |
| | Pb (1–12S) |
| Display | 2.4" 320 × 240 IPS LCD |
| Operating Temperature | 0–40°C (32–104°F) |

Layout

| | |
|----------|-----------------------------|
| A | Display Screen |
| B | Menu Button |
| C | Touch Menu Scroll Wheel |
| D | Power Input Port (IC3, EC3) |

| | |
|----------|------------------------------|
| E | Update Port |
| F | USB Output |
| G | Balance Port |
| H | Power Output Port (IC3, EC3) |



General Charging Warnings

- **NEVER LEAVE CHARGING BATTERIES UNATTENDED.**
- **NEVER CHARGE BATTERIES OVERNIGHT.**
- Never attempt to charge dead, damaged or wet battery packs.
- Never attempt to charge a battery pack containing different types of batteries.
- Never allow children under 14 years of age to charge battery packs.
- Never charge batteries in extremely hot or cold places or place in direct sunlight.
- Never charge a battery if the battery leads have been pinched or shorted.
- Never plug in a charger if the power cable has been pinched or shorted.
- Never connect the charger to an automobile 12V battery while the vehicle is running.
- Never attempt to dismantle the charger or use a damaged charger.
- Never attach your charger to both an AC and a DC power source at the same time.
- Never connect the input jack (DC input) to AC power.
- Always use only rechargeable batteries designed for use with this type of charger.
- Always charge batteries in the correct program mode according to the battery type.
- Always inspect the battery before charging.
- Always charge batteries on a heat-resistant surface and clear of flammable materials.
- Always monitor the charging area and have a fire extinguisher available at all times.
- Always end the charging process if the battery becomes hot to the touch or starts to change form (swell) during the charge process.
- Always disconnect the battery after charging, and let the charger cool between charges.
- Always charge in a well-ventilated area.
- Always terminate all processes and contact Horizon Hobby if the product malfunctions.



WARNING: Never leave charger unattended, exceed maximum charge rate, charge with non-approved batteries or charge batteries in the wrong mode. Failure to comply may result in excessive heat, fire and serious injury.



WARNING: Always check charging parameters before initiating the charge process. Charging any battery with improper settings, including charging a battery in the wrong mode, can result in property damage and fire.




CAUTION: Always ensure the battery you are charging meets the specifications of this charger and that the charger settings are correct. Not doing so can result in excessive heat and other related product malfunctions, which can lead to user injury or property damage. Please contact Horizon Hobby or an authorized retailer with compatibility questions.

Navigating the Charger

Basic navigation of the charger menus is accomplished using the touch menu scroll wheel and menu button.

- Slide your finger clockwise around the touch menu scroll wheel to scroll down a menu list.
- Slide your finger counter-clockwise to scroll up a menu list.
- Press and release the menu button to select a menu item.
- While on the home screen, a short press of the menu button enters the task settings and a long press enters the system settings.



Touch menu scroll wheel



Menu button

Operating the Charger

Before operating the charger, know your battery's specifications and any battery-specific safety warnings.

1. Connect an appropriate power supply to the INPUT side of the charger. Refer to the Input Voltage in the Specifications table for more information. The charger will initialize and display the home screen, indicating the charger is ready to charge.
2. Connect the battery to be charged to the OUTPUT side of the charger.
3. Connect the battery balance lead, if available, to the charger balance port.
4. Press and release the menu button to display the **Task Settings** list:

| Task Settings | |
|-----------------|---|
| Task | Charge, Discharge, Storage |
| Battery Type | Select the appropriate battery chemistry |
| Battery Voltage | Set the individual cell ending voltage |
| Cell Count | Set the number of cells in the battery (this value auto-detects if using a Spektrum™ SMART battery or if the battery balance lead is connected to the balance port) |
| Current | Set the charge current |
| Start | Start the task cycle |
| Back | Return to the home screen |

5. Select the desired **Task**.
6. Confirm the settings are correct for the battery being charged.



WARNING: Always check charging parameters before initiating the charge process. Charging any battery with improper settings, including charging a battery in the wrong mode, can result in property damage and fire.

7. Scroll to the **Start** menu item.
8. Press and release the menu button to begin charging.

To stop the charging cycle:

1. Press and release the menu button during the active charge cycle.
2. Select the **Stop** menu item.
3. Press and release the menu button. The charger will return to the home screen.












WARNING: Always stop the charging cycle or remove power supplied to the charger if you notice any irregularities (like a swollen battery) during charging.








During the charging process:

- While the battery is “fast charging” the background of the charger screen is orange.
- When the fast charge cycle is complete, the charger will beep once and the background screen will change to green. The charger is balancing the battery cells.
- Once the background changes to blue, charging is complete.
- The bottom of the screen displays battery information during the charge process. Scroll through the information screens using the touch scroll wheel.
 - The first screen displays the individual cell voltage.
 - The second screen displays the individual cell resistance (available only during cell balancing).
 - The third screen displays the charger input voltage, output voltage, temperature, total output energy of the active cycle, completed charge cycles of the system and charge cycles of the battery.


Charger Icons

- Scroll through the information screens using the touch scroll wheel.

| Page | Icon | Description |
|------|---|--|
| 3 |  | Input voltage |
| 3 |  | Output voltage |
| 3 |  | Temp of Smart charger |
| 3 |  | mWh put into battery |
| 3 |  | Number of charges during current power cycle |
| 3 |  | Number of charges on charger |
| 4 |  | Brand of Smart battery |
| 4 |  | Battery chemistry and cell count |
| 4 |  | Smart Battery's Capacity |

| Page | Icon | Description |
|------|---|---|
| 4 |  | Battery temp |
| 5 |  | Charge current (C rate) |
| 5 |  | Number of charges on battery |
| 5 |  | Number of overcharges on the battery |
| 5 |  | maximum rated discharge |
| 5 |  | Number of over-temp warnings on battery |
| 5 |  | Number of over discharges on battery |

Charge Screen



When charging is complete:

The charger beeps twice to indicate the charge cycle is complete.

1. Disconnect the battery from the charger. The charger will continue to beep until the battery is disconnected.
2. The charger will return to the home screen.
3. If you are done charging, disconnect the power supply from the charger to power off.

System Settings Menu

From the home screen, press and hold the menu button to access the **System Settings** menu.

| | |
|----------------------|--|
| Input Power | Limited between 50–550W based on input voltage |
| Input Voltage | Limited between 8.0V–24.0V |
| Backlight | Automatic, low, medium, or high |
| Volume | Off, low, middle, or high |
| Touch Sensitivity | Set as low or high |
| Completion Tone | Select single tone or repeating |
| Language | Select language |
| Firmware Sharing | Check for updates |
| System Information | Check the system information |
| System Self-Checking | Initiates a charger self-check. Do not connect a battery to the output port while self-check is running |
| Spektrum™ SMART | Settings available when a Spektrum™ SMART battery is connected to the charger output port |
| Back | Return to the home screen |

SMART Settings

The SMART selection is available if a SMART battery is connected.

SMART settings include:

| | |
|------------------|--|
| Auto Storage | Select an Auto Storage cycle of between 12 and 240 hours |
| Storage Voltage | Select the storage voltage for each cell |
| Charge Current | Change the default charge current for your SMART battery |
| Charge Voltage | Select the max charge voltage for your SMART battery |
| Exception Record | Provides a list of exceptions, including over-voltage, under-voltage or over-temperature, and the date of exception. |
| Back | Return to the home screen |

Charger Errors

If the charger displays an error, follow the on-screen prompts to remedy the error. If necessary, disconnect the battery from the output and balance ports, disconnect the power supply, and restart the charger.

Optional Parts

| Part # | Description |
|------------|---|
| SPMXC10201 | 30A Power Supply |
| SPMXCA100 | Smart USB Update Cable |
| SPMXCA301 | IC3 Device and Battery Connectors |
| SPMXCA310 | IC3 Battery to JST Device |
| SPMXCA315 | Battery to 4mm 6" Bullet Leads (for power supply) |
| SPMXCA507 | IC3 Battery to IC5 Device |

Limited Warranty

What this Warranty Covers – Horizon Hobby, LLC, (Horizon) warrants to the original purchaser that the product purchased (the “Product”) will be free from defects in materials and workmanship for a period of 1 year from the date of purchase.

What is Not Covered – This warranty is not transferable and does not cover (i) cosmetic damage, (ii) damage due to acts of God, accident, misuse, abuse, negligence, commercial use, or due to improper use, installation, operation or maintenance, (iii) modification of or to any part of the Product, (iv) attempted service by anyone other than a Horizon Hobby authorized service center, (v) Product not purchased from an authorized Horizon dealer, or (vi) Product not compliant with applicable technical regulations or (vii) use that violates any applicable laws, rules, or regulations. OTHER THAN THE EXPRESS WARRANTY ABOVE, HORIZON MAKES NO OTHER WARRANTY OR REPRESENTATION, AND HEREBY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT,

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE PURCHASER ACKNOWLEDGES THAT THEY ALONE HAVE DETERMINED THAT THE PRODUCT WILL SUITABLY MEET THE REQUIREMENTS OF THE PURCHASER'S INTENDED USE.

Purchaser's Remedy – Horizon's sole obligation and purchaser's sole and exclusive remedy shall be that Horizon will, at its option, either (i) service, or (ii) replace, any Product determined by Horizon to be defective. Horizon reserves the right to inspect any and all Product(s) involved in a warranty claim. Service or replacement decisions are at the sole discretion of Horizon. Proof of purchase is required for all warranty claims. SERVICE OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY.

Limitation of Liability – HORIZON SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY, REGARDLESS OF WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR ANY OTHER THEORY OF LIABILITY, EVEN IF HORIZON HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Further, in no event shall the liability of Horizon exceed the individual price of the Product on which liability is asserted. As Horizon has no control over use, setup, final assembly, modification or misuse, no liability shall be assumed nor accepted for any resulting damage or injury. By the act of use, setup or assembly, the user accepts all resulting liability. If you as the purchaser or user are not prepared to accept the liability associated with the use of the Product, purchaser is advised to return the Product immediately in new and unused condition to the place of purchase.

Law – These terms are governed by Illinois law (without regard to conflict of law principals). This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. Horizon reserves the right to change or modify this warranty at any time without notice.

WARRANTY SERVICES

Questions, Assistance, and Services – Your local hobby store and/or place of purchase cannot provide warranty support or service. Once assembly, setup or use of the Product has been started, you must contact your local distributor or Horizon directly. This will enable Horizon to better answer your questions and service you in the event that you may need any assistance. For questions or assistance, please visit our website at www.horizonhobby.com, submit a Product Support Inquiry, or call the toll free telephone number referenced in the Warranty and Service Contact Information section to speak with a Product Support representative.

Inspection or Services – If this Product needs to be inspected or serviced and is compliant in the country you live and use the Product in, please use the Horizon Online Service Request submission process found on our website or call Horizon to obtain a Return Merchandise Authorization (RMA) number. Pack the Product securely using a shipping carton. Please note that original boxes may be included, but are not designed to withstand the rigors of shipping without additional protection. Ship via a carrier that provides tracking and insurance for lost or damaged parcels, as Horizon is not responsible for merchandise until it arrives and is accepted at our facility. An Online Service Request is available at http://www.horizonhobby.com/content/service-center_render-service-center. If you do not have internet access, please contact Horizon Product Support to obtain a RMA number along with instructions for submitting your product for service. When calling Horizon, you will be asked to provide your complete name, street address, email address and phone number where you can be reached during business hours. When sending product into Horizon, please include your RMA number, a list of the included items, and a brief summary of the problem. A copy of your original sales receipt must be included for warranty consideration. Be sure your name, address, and RMA number are clearly written on the outside of the shipping carton.

NOTICE: Do not ship Li-Po batteries to Horizon. If you have any issue with a Li-Po battery, please contact the appropriate Horizon Product Support office.

Warranty Requirements – For Warranty consideration, you must include your original sales receipt verifying the proof-of-purchase date. Provided warranty conditions have been met, your Product will be serviced or replaced free of charge. Service or replacement decisions are at the sole discretion of Horizon.

Non-Warranty Service – Should your service not be covered by warranty, service will be completed and payment will be required without notification or estimate of the expense unless the expense exceeds 50% of the retail purchase cost. By submitting the item for service you are agreeing to payment of the service without notification. Service estimates are available upon request. You must include this request with your item submitted for service. Non-warranty service estimates will be billed a minimum of ½ hour of labor. In addition you will be billed for return freight. Horizon accepts money orders and cashier's checks, as well as Visa, MasterCard, American Express, and Discover cards. By submitting any item to Horizon for service, you are agreeing to Horizon's Terms and Conditions found on our website http://www.horizonhobby.com/content/service-center_render-service-center.

ATTENTION: Horizon service is limited to Product compliant in the country of use and ownership. If received, a non-compliant Product will not be serviced. Further, the sender will be responsible for arranging return shipment of the un-serviced Product, through a carrier of the sender's choice and at the sender's expense. Horizon will hold non-compliant Product for a period of 60 days from notification, after which it will be discarded. 10/15

Warranty and Service Contact Information

United States of America

| Horizon Hobby | Contact Information | Address |
|---|--|--|
| Horizon Service Center (Repairs and Repair Requests) | servicecenter.horizonhobby.com/ RequestForm/ | 2904 Research Rd. Champaign, Illinois, 61822 USA |
| Horizon Product Support (Product Technical Assistance) | productsupport@ horizonhobby.com 877-504-0233 | |
| Sales | websales@horizonhobby.com 800-338-4639 | |

EU

| Horizon Hobby | Contact Information | Address |
|-----------------------------|--------------------------|--|
| Horizon Technischer Service | service@ horizonhobby.eu | Hanskampring 9 D 22885 Barsbüttel, Germany |
| Sales: Horizon Hobby GmbH | +49 (0) 4121 2655 100 | |

Compliance Information for the European Union



EU Compliance Statement: Horizon Hobby, LLC hereby declares that this product is in compliance with the essential requirements and other relevant provisions of the EMC Directive.

A copy of the EU Declaration of Conformity is available online at:
<http://www.horizonhobby.com/content/support-render-compliance>.

Instructions for disposal of WEEE by users in the European Union



This product must not be disposed of with other waste. Instead, it is the user's responsibility to dispose of their waste equipment by handing it over to a designated collections point for the recycling of waste electrical and electronic equipment. The separate collection and recycling of your waste equipment at the time of disposal will help to conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment. For more information about where you can drop off your waste equipment for recycling, please contact your local city office, your household waste disposal service or where you purchased the product.



E328



SPEKTRUM®

SMART ™
T E C H N O L O G Y

© 2019 Horizon Hobby, LLC.

IC3, EC3 and the Smart Technology logo are trademarks of Horizon Hobby, LLC.

The Spektrum trademark is used with permission of Bachmann Industries, Inc.

All other trademarks, service marks and logos are property of their respective owners.

Created 06/19

SPMXC1050

59073